



**HOUSING
THE FUTURE.**



2011 CATALOG

WHEN YOU BUY CALF-TEL, YOU CAN BE CONFIDENT IT WILL LAST A LIFETIME... AND THEN SOME.

For decades, Calf-Tel® has set the standard for superior durability and efficiency, making your investment in calf housing systems one that grows with each generation of calves it protects. Backed by success and people that know how to raise healthy calves, Calf-Tel promises—and delivers—a wise investment.

CONTENTS

**SETTING
INDUSTRY
STANDARDS**
PAGE 4

PROVEN PRODUCTS



PRO II PAGE 7



DELUXE II PAGE 9



1.2 MINI PAGE 11



MULTIMAX PAGE 13



PEN SYSTEM PAGE 15

ACCESSORIES

PAGE 17

CALF MANAGEMENT EXPERTISE

PAGE 18

ABOUT HAMPEL CORP.

PAGE 19

CALF-TEL IS THE INDUSTRY'S NUMBER ONE CHOICE FOR CALF HOUSING

Whether you're raising just one calf or thousands of calves, indoors or out, the Calf-Tel® family of products offers calf raisers around the world the best and most cost effective systems for raising healthy, productive calves.

SETTING INDUSTRY STANDARDS



Unique Manufacturing Process

Calf-Tel is the only calf housing system on the market manufactured using a thermoforming process, which forms the product from an extruded polyethylene sheet. This process results in a molecular bonding within the plastic that is superior to other methods of plastics manufacturing – providing unmatched strength, durability and longevity. It's not at all uncommon to see Calf-Tel housing systems in use for 25 years or more – even in the most brutal weather conditions.



Strength & Durability

Our unique manufacturing process, combined with the use of high molecular weight polyethylene material and steel, provides unparalleled strength and durability – and at a weight that's easy and efficient to handle. The galvanized steel frame at the base of every Calf-Tel hutch enables our hutch to maintain a structural integrity superior to that of un-reinforced plastic hutches. The tubular steel frame, encapsulated between the formed polyethylene sheets on our indoor calf pen door frames, provides additional rigidity not found in un-reinforced plastic pen doors.



Protection from Sun & UV

Calf-Tel housing systems are completely opaque, preventing the sun and UV rays from penetrating the hutch and subjecting your calves to heat stress. Because of this opaque material, Calf-Tel protects your calves from the greenhouse effect that can otherwise leave calves vulnerable to heat stress in the summer and excess condensation in the winter. The UV-blocking pigment further adds to the longevity, helping make Calf-Tel the longest lasting hutch on the market.



Ventilation & Airflow

Adequate ventilation is critical in limiting respiratory problems and heat stress calves may be subjected to in other housing with little or no ventilation. Calf-Tel housing systems are engineered for superior ventilation and come standard with the most innovative ventilation features in the industry.



Biosecurity & Calf Health

The polymer material used from which Calf-Tel housing systems is manufactured is non-porous and impervious to pathogens and manure acids. Unlike wood and other more porous materials, Calf-Tel housing systems are easy to clean and disinfect and do not absorb or promote bacterial growth – further improving calf health and performance. When combined with proper management practices, calf raisers have found that the use of Calf-Tel housing systems contributes towards lower mortality, morbidity, and overall treatment costs, and can aid in enhanced calf growth.



Efficiency & Economic Benefit

For decades, calf raisers have seen their profitability enhanced by both the durability and efficiency provided by Calf-Tel housing systems. A longer lasting hutch translates to a lower annual cost over the lifespan of the product. It is common to see the original model hutches, introduced in 1981, still in use today.

No other hutch in the world has this proven track record!

CALF-TEL SYSTEMS ARE LIGHT AND MANAGEABLE.

Our manufacturing process creates a nearly indestructible housing system without the extra weight, making the calf housing systems easy to move and clean. Combine this with trouble-free access to feed and water, and features that enable producers to bed the unit and access the calf easily, and you end up with labor savings that leave more money in your pocket.

PROVEN PRODUCTS

WE WERE LOOKING FOR A GOOD, RELIABLE HUTCH AT A FAIR PRICE AND CALF-TEL WAS OUR CHOICE. I'VE RAISED CALVES FOR YEARS, USING EVERYTHING FROM PLASTIC AND METAL HUTS, TO WOODEN CRATES. CALF-TEL HUTCHES ARE THE MOST DURABLE PRODUCT I'VE EVER USED.

– Larry Ricks, Jr., Dairy Manager, WHB Cattle LP, Tuttle, Okla.





CALF-TEL® PRO II SYSTEM

Designed for maximum labor efficiency, the Calf-Tel Pro II system is used by some of world's largest calf ranches and dairy producers. With its crucial labor saving features, the Calf-Tel Pro II provides a cost-effective solution for your calf operation.



Fully adjustable for superior ventilation



Largest bedding door of its kind


FEATURES

- + The largest and most efficient rear-bedding door of its kind.
- + Superior ventilation provided by both ridge top vents and an adjustable rear vent that provides a larger "open window of air" for your calf than any other hutch on the market.
- + Extremely durable, but light enough to handle easily.
- + Completely opaque plastic protects calves from the heat of the sun in the summer and from excess condensation in the winter.
- + Galvanized steel base provides greater structural integrity and durability.
- + Designed to allow each calf to seek its ideal microenvironment – from a sunny spot in the pen or entryway to a protected spot in the far back of the hutch.
- + Exterior feeding for the highest labor efficiency.
- + Left or right offset shrouded entry, or a full open entry to allow even greater airflow.
- + Comes fully assembled – all you have to do is add the calf.

SITE LAYOUT



With a fenced area, Calf-Tel Pro II dimensions are approximately 4 ft. (122cm) wide by 13 ft. (396cm) long.



We recommend 1 ft. (30cm) between the calf contact points of each unit with a fence.

■ FEEDING STATION

Dimensions	English	Metric
Outside	86.5" L x 48" W x 53.5" H	220cm x 122cm x 136cm
Inside	82" L x 42" W x 48" H	208cm x 107cm x 122cm
Hutch Weight	73 lbs.	33 kg.

PROVEN PRODUCTS

A man in a grey t-shirt and blue jeans is working on a row of white calf hutches in a farm setting. He is using a tool to adjust or repair one of the hutches. The hutches are arranged in a long line, and the background shows a farm building and a silo under a clear blue sky.

WE WILL BE CALF-TEL CUSTOMERS FOR LIFE. WE HAVEN'T FOUND ANYTHING AS EFFICIENT AND GOOD FOR OUR CALVES AS CALF-TEL HUTCHES. WE REALLY LIKE THE COMPANY'S PROGRESSIVENESS; THEY ARE LOOKING FOR NEW IDEAS AND WAYS TO BETTER THEIR PRODUCTS.

– Ken Norgard, Owner, Paramount Calves, Darlington, Wis.



CALF-TEL® DELUXE II SYSTEM

When inside feeding is preferred, the Deluxe II is the solution. The Calf-Tel Deluxe II system has all the same features and benefits as the Calf-Tel Pro II, but also comes equipped with an indoor feed system designed to protect the feed from the elements and provide added flexibility to the producers.





Inside Feeding Stations keep feed and calves dry. (Shown with optional bottle holder)

FEATURES

- + The largest and most efficient rear-bedding door of its kind.
- + Superior ventilation provided by both ridge top vents and an adjustable rear vent that provides a larger “open window of air” for your calf than any other hutch on the market.
- + Extremely durable, but light enough to handle easily.
- + Completely opaque plastic protects calves from the heat of the sun in the summer and from excess condensation in the winter.
- + Galvanized steel base provides greater structural integrity and durability.
- + Designed to allow each calf to seek its ideal microenvironment – from a sunny spot in the pen or entryway to a protected spot in the far back of the hutch.
- + Inside feeding station keeps the feed and calves dry.
- + Optional feeding configurations include outside feed pail for liquid and a hutch or fence mounted bottle holder.
- + Left or right offset shrouded entry, or a full open entry to allow even greater airflow.

SITE LAYOUT



With a fenced area, Calf-Tel Deluxe II dimensions are approximately 4 ft. (122cm) wide by 13 ft. (396cm) long.

We recommend 1 ft. (30cm) between the calf contact points of each unit with a fence.

The Calf-Tel Deluxe II allows you to configure hutches head to tail to reduce the distance a feeder must travel, saving time and money.

■ FEEDING STATION

Dimensions	English	Metric
Outside	86.5" L x 48" W x 53.5" H	220cm x 122cm x 136cm
Inside	82" L x 42" W x 48" H	208cm x 107cm x 122cm
Hutch Weight	86 lbs.	39 kg.

PROVEN PRODUCTS



THE CALF-TEL 1.2 MINI CALF HUTCH PROVIDES A GREAT ENVIRONMENT FOR JERSEY CALVES, AND IT PROVIDES GREAT VENTILATION. HAVING NEARLY 400 OF THEM, WE FEEL IT IS THE BEST HUTCH OPTION.

– Calf Manager, Full Circle Jerseys, Dalhart, Texas



CALF-TEL® 1.2 MINI CALF HUTCH

The Calf-Tel 1.2 Mini is the most efficient solution for smaller sized calves and shorter-term calf housing needs. The Calf-Tel 1.2 Mini is easy to clean, store and transport. When space is a concern, the Calf-Tel 1.2 Mini's reduced footprint increases the number of hutches you can use in a given area. The standard, one-of-a-kind, fully adjustable rear door is ideal for ease of bedding and increased ventilation.



Full Open Bedding Door




Compact and Economical

FEATURES

- + The most efficient rear-bedding door of its kind.
- + Superior ventilation provided by both ridge top vents and an adjustable rear vent that provides a larger "open window of air" for your calf than any other hutch on the market.
- + Extremely durable, but light enough to handle easily.
- + Galvanized steel base provides greater structural integrity and durability.
- + Completely opaque plastic protects calves from the heat of the sun in the summer and from excess condensation in the winter.
- + Designed to allow each calf to seek its ideal microenvironment – from a sunny spot in the pen or entryway to a protected spot in the far back of the hutch.
- + Compact and economical.

SITE LAYOUT




■ FEEDING STATION

With a fenced area, Calf-Tel 1.2 Mini dimensions are approximately 3.5 ft. (107cm) wide by 10.5 ft. (320cm) long.

We recommend 1 ft. (30cm) between the calf contact points of each unit with a fence.

Dimensions	English	Metric
Outside	58" L x 43" W x 46" H	147cm x 109cm x 117cm
Inside	55" L x 41" W x 41" H	141cm x 104cm x 104cm
Hutch Weight	50 lbs.	23 kg.

PROVEN PRODUCTS



WHEN SEVERE STORMS AND STRAIGHT LINE WINDS SWEPT ACROSS MY FARM, ABOUT 50 MULTIMAX'S WERE IMPACTED. BUT, WE WERE ABLE TO POP EACH OF THEM BACK INTO SHAPE AND DIDN'T LOSE A SINGLE ONE. I'VE NEVER BEFORE FELT COMPELLED TO PRAISE A COMPANY'S PRODUCT UNTIL THIS EXPERIENCE WITH CALF-TEL.

- Don Niles, D.V.M., Partner, Dairy Dreams, LLC, Casco, Wis.



CALF-TEL® MULTIMAX SYSTEM

When calves raised individually are placed in large groups, the stress from competition and social pressure can lead to growth and health setbacks. Placing four to six similarly-sized, weaned calves in a Calf-Tel MultiMax is the best way to ease the transition. Continued growth and health will be attained as animals bond and develop a social group.



Treated Lumber Base



Large Entry Way



Optional vent, ideal for ventilation and observation.

FEATURES

- + The most durable group house available.
- + Large entryway for maximum ventilation.
- + Extra hutch height – allowing animals to be housed in the unit longer.
- + Treated lumber base to provide a stable and secure foundation.
- + Ridge top ventilation for improved air circulation.
- + Optional rear vent for hot weather and observation tool.

RECOMMENDED SITES

Four common ways the MultiMax is used:

Prepared Site: Place the MultiMax on a well drained surface (gravel, crushed stone or sand). This will keep calves dry and healthy. Outside pen required.

Rotating Site: Place one MultiMax in a small pasture and move the unit and its pen periodically.

Large Common Pasture: Place multiple MultiMax's in a large pasture with bigger groups. Position the units near each other, as the herd will not separate to housing in different locations.

Group/Robotic Feeding: When group feeding methods are being employed, the MultiMax provides an ideal group housing solution.

Dimensions	English	Metric
Outside	86.5" L x 107.5" W x 72" H	220cm x 273cm x 183cm
Inside	82" L x 102" W x 71" H	208cm x 259cm x 180cm
Hutch Weight	235 lbs.	107 kg.

PROVEN PRODUCTS



CALF-TEL PENS ARE THE MOST COST-EFFECTIVE AND CONVENIENT PENS WE'VE FOUND. THEY ARE LIGHTWEIGHT WHEN HANDLING AND CLEAN UP EASILY.

– Mike Larson, General Manager, Larson Acres, Evansville, Wis.



CALF-TEL® PEN SYSTEM

Calf-Tel introduced the first free-standing, completely modular, indoor pen system of its kind. While other systems may look similar, the Calf-Tel pen system provides calf raisers with the most versatile, highest labor savings, calf and calf manager friendly indoor pen system available. Calf-Tel Pens are backed by the longest track record of success on the market.



Adjustable Venting



Rugged, easy-to-use solid steel hardware. No plastic pins.



Standard Rugged Pen Divider and Separated Feed Buckets



Adjustable Door and Bucket Height



Steel Reinforced Door Frame
– Prevents Sagging




Optional Group Housing Arch

FEATURES

- + The first free standing, modular pen system of its kind.
- + Easy to set up, configure, expand, and truly only requires one person.
- + Easy to sanitize to ensure ultimate calf health.
- + Rugged, long-lasting, solid steel hardware connectors take only seconds to configure.
- + Fully adjustable door and bucket height, and optional bottle holders to easily adapt to any management practices.
- + Pen dividers and solid side panels to keep calves separated.
- + Interlocks back-to-back and side-to-side to easily configure to your facility.
- + Superior ventilation with standard adjustable rear venting.
- + Separated feed buckets – keeps feed dry.
- + Free standing and modular – does not require permanent installation.
- + Steel reinforced door frame – the only steel reinforced plastic door of its kind.

SITE LAYOUT



Space requirements will vary depending on individual configurations.

■ FEEDING STATION

Dimensions	English	Metric
Width	48"	122cm
Lengths Available	6' or 7'	183cm or 213cm
Height	45"	114cm

ACCESSORIES

A black and white calf is shown in a metal cage. The calf is looking towards the camera. A white teat protector is attached to the cage bars, and the calf's head is positioned near it. The background is a green field.

WE LIKE CALF-TEL HUTCHES BETTER THAN ANY OTHER HUTCHES WE'VE TRIED BECAUSE OF THEIR OVERALL DESIGN. WE CAN GET IN AND OUT OF THEM TO CARE FOR THE CALVES EASILY. THE DESIGN ALSO OFFERS MORE VENTILATION AND PROTECTION FROM THE COLD.

– Sandy Quinn, Co-owner, Sunset View Farm, Schaghticoke, N.Y.




10 Quart Heavy Duty Plastic Pail
Available in black and white.




Heavy Duty Double Pail Holder, Hutch Mount Electrostatic coated to prevent rusting. Compatible with Deluxe and Deluxe II models.



Heavy Duty Single Pail Holder, Hutch Mount Electrostatic coated to prevent rusting. Compatible with Deluxe and Deluxe II models.



Single Pail Holder, Fence Mount Electrostatic coated to prevent rusting.



Double Pail Holder, Fence Mount Electrostatic coated to prevent rusting.



Feed-Saver Cover Fence mounted environmental protection for feed buckets. *Pail and pail holder sold separately.*



Bottle with Nipple Available in 2 or 3 quart size. Replacement nipples also available.



MultiMax Rear Vent Door Kit and Attaching Hardware Includes: Polyethylene vent door, hinges and attachment hardware.



Calf Fence Panel Available with no, single or double feed openings. Crafted of 1/4" diameter hot tip galvanized steel. 42" H x 72" D x 48" W



Hay Rack, Fence Mount Hutch mount and fence mount available. Includes hardware. Electrostatic coated to prevent rusting.



Bottle Holder and Attaching Hardware, Hutch, Pen and Fence Mount Available in 2 or 3 quart size.



Pro II and Deluxe II Rear Bedding Door Compatible with the Pro II and Deluxe II models only.



Deluxe Hutch Side Door and Hardware Kit Not compatible with Pro II and Deluxe II models.



Deluxe II Hutch Side Door and Hardware Kit Compatible with the Pro II and Deluxe II models only.



Pro and Deluxe Rear Vent Door Kit Includes: Polyethylene vent door, (2) hinges and attachment hardware. Not compatible with Pro II and Deluxe II models.



Pro and Deluxe Ridge Vents, With Hardware Not compatible with Pro II and Deluxe II models.



Pen Extender Heavy duty, twin sheeted pen extender.



Group Housing Arch Easily convert pens to group housing. Available for both 6' and 7' pen lengths.



Calf Tethering Kit 4' of zinc plated chain, black nylon strap, swivel eye bolt snaps, coated aircraft cable – long looped at each end. *Each item may be purchased separately.*



Pro and Deluxe Replacement Base Base breaks down into 4 separate, easy to ship pieces and includes connecting hardware. Compatible with Pro, Deluxe, Pro II and Deluxe II models.



L-Rod Set Attaches Fence to Hutch – allowing for easy access. Includes: 2 L-Rods, each crafted of 3/8" pre-galvanized steel, measuring 40" long.



Eyebolt Hardware for Fence Attachment Includes: (4) zinc plated eyebolts, (8) fender washers, (8) jam nuts.



Thinsulate™ Lined Calf Blanket Equipped with durable straps and rugged buckles, this water resistant calf blanket is available in both large and small sizes.



Fluid Feeders Available in 2 quart and 1 gallon – practical, easy-to-use tool that helps save baby calves.

CALF MANAGEMENT EXPERTISE

CALF HOUSING OPTIONS FROM CALF PROFESSIONALS

Hampel Corp. has a deep history in the calf raising industry.

In addition to its revolutionary leadership and continued product innovation, which continues to set the industry standard for calf housing, Calf-Tel® Calf Professionals work closely with calf raisers of all sizes and scales to meet their unique needs.

By understanding your goals, the Calf-Tel Calf Professionals team applies their extensive, first-hand experience of raising calves to assess and recommend the housing systems and solutions that are right for you. This unique aspect and industry knowledge is part of the Calf-Tel brand promise, and is another reason why Calf-Tel has become the world's preferred brand of calf housing.

Calf-Tel Calf Professionals can also provide expertise on other aspects of calf management to help ensure the calves you raise in a Calf-Tel hutch or pen grow in the most efficient and healthy manner to become a highly productive member of your herd. Deeply networked in industry, these Calf Professionals understand the management aspects that influence the health of your calves and eagerly share their insights to help make your experience more than just an investment in housing.

Contact a Calf-Tel Calf Care Professional and learn more about how to determine the best way to raise calves. Purchase wisely, and healthy calves will be your reward.

TIMELINE



1981

GENERATION I
CALF-TEL HUTCH
*New product
introduction*



1983

GENERATION II
CALF-TEL HUTCH
New back design



1987

GENERATION III
DELUXE AND BASIC
HUTCH INTRODUCTION
*New ridge vent, rear
vent, feed options,
threshold*



1991

GENERATION IV
DELUXE AND BASIC
HUTCH
One piece design

ABOUT HAMPEL CORP.



Hampel Corp. – Manufacturer of Calf-Tel® Products

Hampel Corp. began as a custom manufacturer of thermoformed plastic parts. With expertise in thermoforming and engineering plastics, Hampel Corp. molded its future into a diversified designer, manufacturer and marketer serving customers worldwide with our two divisions: Hampel Animal Care and Molded Solutions.

Hampel Corp. began serving the agriculture industry in 1981 with the introduction of Calf-Tel housing systems and has since grown to be the world's number one choice for calf housing. Today, there are more calves raised in Calf-Tel housing systems than in any other manufactured housing system in the world.

ISO 9001-2000 Certified

Ten Year Limited Warranty

10 Year Limited Warranty on all housing systems:

Calf-Tel Pro II Calf-Tel MultiMax
Calf-Tel Deluxe II Calf-Tel Pen System
Calf-Tel 1.2 Mini

Calf-Tel's History of Innovation

Since the first introduction of Calf-Tel in 1981, Hampel Corp. has been committed to continued innovation. Our pursuit of excellence has set the standard for calf housing systems across the globe.

Calf-Tel's goal is to aid in the success of dairymen and contract raisers by providing the most innovative, efficient and longest lasting housing available. Our on-going commitment towards innovation is what will keep Calf-Tel the industry-leading brand of calf housing for years to come.



1996

GENERATION V
New Pro model - turnkey calf raising system: fence and accessories



1997

MULTIMAX TRANSITIONAL GROUP HOUSING
New product introduction



2006

INDOOR PEN SYSTEM
New product introduction



2006

1.2 MINI HUTCH
New product introduction



2009

PRO II & DELUXE II
New multipurpose rear door and ridge vents



Calf-Tel USA

W194 N11551 McCormick Drive
Germantown, Wisconsin 53022

www.Calf-Tel.com

(800) 558-8558

(262) 255-4540

FAX (262) 255-9731

E-mail: sales@Calf-Tel.com

Calf-Tel Europe

Ob der Lucke 25

D-89155 Erbach

www.Calf-Tel.com/de

+49 (0)7305 / 926-780

E-mail: Calf-Tel@HampelGmbH.com

INTERNATIONAL DISTRIBUTION –

For a complete list of international distribution partners, visit www.Calf-Tel.com.